



WRN-2110SB1

Edge Wave NVR



Key Features

- Supported by Wave client, mobile and Cloud Sync
- Supports AI metadata
- 250 Mbps of recording throughput
- Supports up to 40TB internal storage
- HDMI/DP monitor outputs for configuration and basic monitoring
- 16 PoE/PoE+ ports, with a total power budget of 200W
- Includes USB mouse and rack mount brackets

WRN-2110SB1

Edge Wave NVR



Specifications

System

Recording Bandwidth	Up to 250Mbps
OS Drive Bays	eMMC 32GB
Data Drive Bays	SATA 4ea(Max. 40TB)
Data Storage	Up to 40TB
Network Interface	PoE RJ-45(Lan, 10/100) 16EA, RJ-45 2ea(WAN, 1Gbps)
Processor	Quad core
Memory	8GB DDR4
Operating System	Ubuntu Linux 22.04 LTS
IPMI	Not Supported
Video Outputs	1x HDMI, 1x DP
USB Ports	Front USB 2.0(2), Rear USB 3.0(2)
Other Ports	Audio output
Keyboard & Mouse	Not Included
Sliding Rail Kit	Not Included

Mechanical

Color / Material	Black / Metal & Plastic
Dimensions (HxWxD)	17.32"(440mm) x 3.54"(89.8mm) x 16.78"(426.3mm)
Weight	12.26 lbs (5.56 Kg)

Electrical

Power Input	100 ~ 240V AC
Power Consumption	80W
PoE Budget	200W

Environmental

Operating Temperature	32°F to 104°F(0°C-40°C)
Operating Humidity	20% to 85% (non-condensing)

WRN-2110SB1


WRN-2110SB1

Edge Wave NVR



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.