Specifications

Eaton 531024FULL-1019

Catalog Number: 531024FULL-1019

Eaton, Alarms & signalling devices, Fulleon, Solex Xenon beacon, Red lens, Deep red base, 10Cd, Unbranded (SO/R/DR/10C UNBRANDED BOX)

General specifications

Product Name	**Catalog Number**
Eaton Solex Xenon fire alarm beacon	531024FULL-1019
Model Code	**EAN**
SO/R/DR/10C UNBRANDED BOX	8054934906152
Product Length/Depth	**Product Height**
93 mm	93 mm
Product Width	**Product Weight**
93 mm	0.18 kg

Compliances

CE marking

Powering Business Worldwide

Product specifications

Nominal voltage

24 V

Voltage type

DC

Electricity consumption

0.088 A

Power

2.1 W

Lens color

Red

Material housing

Plastic

Color housing

Other

Mounting Method

Surface mounting

Number of modes

1

Standby-time up to

0 hour

Ambient temperature - max

70 °C

Ambient temperature - min

-25 °C

Lamp type

Incandescent lamp

Lamp holder

Other

Degree of protection (IP)

IP65

Addressing mode

Hard addressing

Alarm current - max

185 mA

Alarm current - min

Resources

Technical data sheets

eaton-fire-devices-alarm-beacon-indicator-solex-xenon-datasheet-0419.pdf

45 mA

Construction material

PC

Humidity (Non Condensing) - Max

95 %

Humidity (Non Condensing) - Min

0 %

Operating temperature - max

70 °C

Operating temperature - min

-25 °C

Standby current

0

System typology

Conventional (Non-addressable)

Product branding

Eaton

Nominal voltage - min

12 V

Nominal voltage - max

48 V

Electricity consumption - min

0.045 A

Electricity consumption - max

0.185 A

Integrated function

Flashlight

Cable entry

M20 hole

Mounting position

Wall surface (internal)
Wall (weatherproof)

Light color

Red

System wiring

0.28 - 2.5 mm

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia